



STRUCTURAL PROTECTION FOR INDUSTRIAL FACILITIES

A THREE PART PROTECTION APPROACH

Lightning Master[®] protection system for industrial facilities are designed to reduce equipment damage and consists of three basic components:

- Bonding & Grounding
- Surge Suppression
- Structural Protection



Bonding & Grounding:

Bonding is simply a matter of taking all of the electrical and metallic masses in a facility and bringing them to the same electrical potential. The primary reason for bonding is personnel safety, so someone touching two pieces of equipment at the same time does not receive a shock by becoming the path of equalization if the two pieces of equipment happen to be at different potentials. For the same reason bonding protects people, it also protects equipment, by reducing current flow on power and data conductors between pieces of equipment at different potentials.

Grounding is a matter of bringing the bonded equipment mass to the potential of the surface of the earth which it occupies. Again, the primary reason is personnel safety and the secondary reason is equipment protection. When it comes to grounding, we need to consider two types of grounding: low-impedance grounding of structures, and single-point ground potential referencing for services and equipment.

LightningMaster
Corporation 

2100-A Palmetto St., Clearwater, FL 33765
800-749-6800

lightningmaster.com



Surge Suppression:

Surge suppressors limit voltage on electrical operating systems, thereby reducing equipment damage. They are installed on the following systems:

- AC power on the main disconnect
- Sub-distribution panel feeding control house equipment
- Load cells, summing boxes and load cell computers
- Data acquisition and control wiring
- Computer, telephone and data wiring



Computer, telephone and data wiring units take the form of a "power strip" and are located in the control room. Into these units are plugged the AC power cords feeding the computer equipment. Also plugged into these units are telephone, T1 and other data lines. These units are critically important to the protection of the plant. Note: In almost all instances of lightning damage to plant equipment, the wires running to these units had been disconnected.

Some surge suppression devices are equipped with status lamps or indicators. Others do not come equipped with indicators and require regular observation to ensure system is effectively operating. Additionally, miscellaneous inputs including wiring to moisture and other sensors on a plant. Since they are low voltage these items are not equipped with a status lamp.

Structural Protection:

Structural lightning protection consists of a series of air terminals (often known as lightning rods) installed on a plant structure. By reducing total static ground charge, they also reduce current flow on wires between structures. In the event of a direct lightning strike, they function as conventional lightning rods.



Testimonial

"I would highly recommend to anyone that your system be installed in any building/facility that is prone to electrical surges."

-Ambrose S. Daigle III

About Lightning Master Corporation

Established in 1984, Lightning Master® is a global, full service, static solutions, lightning and surge protection manufacturing company. We serve a wide range of customers including oil, gas, chemical and other industrial facilities. Our complete line of products, systems and consulting services are backed by our worldwide customer service. Our track record of success in the Americas, Asia, Africa, Europe and the Middle East has established LMC as a global authority on lightning and static protection.